

App. No. 10/672345  
Examiner: C.M. Koslow  
Art Unit: 1755

PATENT  
HSM&L No. 10873.1308US01

**Amendments to the Claims:**

This Listing of Claims will replace all prior versions and listings of claims in the application. No new matter has been added.

**Listing of Claims:**

1-9 (Canceled)

10. (Previously Amended) An inorganic oxide expressed by a chemical formula III



where M is at least one element selected from the group consisting of Mg, Ca, Sr, and Ba, wherein M is 50 atomic % or more of Ba;

Ln is at least one rare earth element selected from the group consisting of Sc, Y, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, and Lu;

Q is at least one element selected from the group consisting of Si, Ge, Sn, and Pb;

R is at least one element selected from the group consisting of B, Al, Ga, In, and Tl; and

x is in a range of  $0 \leq x \leq 0.7$ .

11-12 (Canceled)

13. (Previously Amended) The inorganic oxide according to claim 10, wherein the range of x is  $0 \leq x \leq 0.5$ .

App. No. 10/672345  
Examiner: C.M. Koslow  
Art Unit: 1755

PATENT  
HSM&L No. 10873.1308US01

14. (Original) The inorganic oxide according to claim 10, wherein the Ln is at least one rare earth element selected from the group consisting of Sc, Y, La and Gd, the Q is at least one element selected from the group consisting of Si and Ge, and the R is at least one element selected from the group consisting of B, Al and Ga.

15. (Original) The inorganic oxide according to claim 14, wherein the majority of the Ln is made up of Y.

16. (Original) The inorganic oxide according to claim 14, wherein the majority of the Q is made up of Si.


17. (Original) The inorganic oxide according to claim 14, wherein the majority of the R is made up of at least one selected from Al and Ga.

18. (Original) The inorganic oxide according to claim 10, wherein the inorganic oxide has a garnet crystal structure.

19. (Original) The inorganic oxide according to claim 10, wherein the inorganic oxide further comprises at least one rare earth element selected from the group consisting of Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb and Lu.

20-23 (Canceled)

24. (Previously Amended) A phosphor having an inorganic oxide expressed by a chemical formula III as a phosphor host or an active component



App. No. 10/672345  
 Examiner: C.M. Koslow  
 Art Unit: 1755

PATENT  
 HSM&L No. 10873.1308US01

where M is at least one element selected from the group consisting of Mg, Ca, Sr, and Ba, wherein M is 50 atomic % or more of Ba;

Ln is at least one rare earth element selected from the group consisting of Sc, Y, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, and Lu;


Q is at least one element selected from the group consisting of Si, Ge, Sn, and Pb;

R is at least one element selected from the group consisting of B, Al, Ga, In, and Tl; and

x is in a range of  $0 \leq x \leq 0.7$ .

25. (Original) The phosphor according to claim 24, further comprising at least one selected from the group consisting of  $\text{Ce}^{3+}$  ions,  $\text{Pr}^{3+}$  ions,  $\text{Eu}^{3+}$  ions, and  $\text{Tb}^{3+}$  ions as a luminescent center of the phosphor.

26. (Currently Amended) An The inorganic oxide according to claim 10, expressed by a chemical formula III below which is a solid solution, in which an inorganic oxide expressed by a chemical formula II below is doped into the an inorganic oxide expressed by the chemical formula I below



where M is at least one element selected from the group consisting of Mg, Ca, Sr, and Ba, wherein M is 50 atomic % or more of Ba;

Ln is at least one rare earth element selected from the group consisting of Sc, Y, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, and Lu;

App. No. 10/672345  
Examiner: C.M. Koslow  
Art Unit: 1755

PATENT  
HSM&L No. 10873.1308US01

Q is at least one element selected from the group consisting of Si, Ge, Sn, and Pb; and

R is at least one element selected from the group consisting of B, Al and Ga;  
and

x is in a range of  $0 < x \leq 0.98$ .

27. (Previously Presented) The inorganic oxide according to claim 26, wherein a ratio of the inorganic oxide expressed by the chemical formula I and the inorganic oxide expressed by the chemical formula II is I : II = 1:99 to 99:1 in weight ratio.

28. (Currently Amended) The inorganic oxide according to claim 26, wherein the majority of a combination of M is mainly made up of Ba and the majority of Q is mainly made up of Si.

29. (Currently Amended) The inorganic oxide according to claim 26, wherein a the majority of the Ln is mainly made up of Y.

30. (Currently Amended) The inorganic oxide according to claim 26, wherein the majority of the R is mainly made up of Al.

31. (Previously Presented) The inorganic oxide according to claim 26, wherein the inorganic oxide further comprises at least one rare earth element selected from the group consisting of Ce, Pr, Eu, Tb.

32. (Previously Presented) The inorganic oxide according to claim 26, further comprising at least one selected from the group consisting of Ce<sup>3+</sup> ions, Pr<sup>3+</sup> ions, Eu<sup>3+</sup> ions, and Tb<sup>3+</sup> ions as a luminescent center of the phosphor.

App. No. 10/672345  
Examiner: C.M. Koslow  
Art Unit: 1755

PATENT  
HSM&L No. 10873.1308US01

33. (Previously Presented) An inorganic oxide expressed by a chemical formula I below



wherein the inorganic oxide has a hexagonal crystal structure or a perovskite structure,

M is at least one element selected from the group consisting of Mg, Ca, Sr, and Ba;

Ln is at least one rare earth element selected from the group consisting of Sc, Y, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, and Lu;

Q is Si; and

R is B or Al.

34. (Currently Amended) The inorganic oxide according to claim 33, wherein the majority of a combination of the M is mainly made up of Sr or Ba and the majority of the Ln is mainly made up of Y or Gd.

35. (Previously Presented) The inorganic oxide according to claim 33, wherein R is B.

36. (Currently Amended) The inorganic oxide according to claim 33, wherein the majority of the M is mainly made up of Sr and the majority of the Ln is mainly made up of Gd.

37. (Previously Presented) The inorganic oxide according to claim 33, further comprising at least one selected from the group consisting of Ce<sup>3+</sup> ions, Pr<sup>3+</sup> ions, Eu<sup>3+</sup> ions, and Tb<sup>3+</sup> ions as a luminescent center of the phosphor.